

From: [Thorneloe, Susan](#)
To: [Helms, Greg](#)
Cc: [Andrew Charles Garrabrants](#); [Kariher, Peter](#)
Subject: Fw: Summary of Agremax EPA report and AES comments for OSWER Mgt
Date: Monday, March 11, 2013 1:00:31 PM
Attachments: [image002.gif](#)
[Summary Leaching of AGREMAX-dsk.docx](#)

You should have comments from both
Andy and David. I am working from home today to review the BU rpt. Call if you need anything.

From: Kosson, David S
Sent: Monday, March 11, 2013 12:27:53 PM
To: Helms, Greg; Thorneloe, Susan; Garrabrants, Andrew Charles
Subject: RE: Summary of Agremax EPA report and AES comments for OSWER Mgt

Folks,

Attached are my comments in Track Changes/Comments in the Word document.

David

From: Helms, Greg [<mailto:Helms.Greg@epa.gov>]
Sent: Monday, March 11, 2013 8:26 AM
To: Thorneloe, Susan; Kosson, David S; Garrabrants, Andrew Charles
Subject: Summary of Agremax EPA report and AES comments for OSWER Mgt

Susan/David/Andy-

Any comments?

I tried to boil this down as much as I could for our managers. Did I miss or mischaracterize anything?

U.S. FOIA Exempt (b) (5)

Gregory Helms
U.S. EPA
Waste Characterization Branch
Office of Solid Waste and Emergency Response
phone: 703-308-8845
fax: 703-308-0514
helms.greg@epa.gov

Address for regular/USPS mail:
1200 Pennsylvania Ave. NW
Mail Code 5304P

Washington, DC 20460

Address for overnight/hand delivery mail:

Two Potomac Yard

2733 S. Crystal Dr.

5th Floor; N-5611

Arlington, VA 22202

See OSWER's new LEAF leach test methods at:

http://epa.gov/wastes/hazard/testmethods/sw846/new_meth.htm

For an overview of hazardous waste regulation see the RCRA Orientation Manual, at:

www.epa.gov/epawaste/inforesources/pubs/orientat/